

MISSOURI RIVER, FORT BENTON, MT TO THE MOUTH (CONSOLIDATED REPORT)

Section Included: Fort Benton, MT to the mouth of the Missouri River, 2073.2 miles. For maintained depths see individual stretches.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	5,783	1995	6,884	1998	8,379*	2001	9,732
1993	5,631	1996	8,165	1999	9,252		
1994	8,501	1997	8,172	2000	8,733		

* Revised after original year of publication

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal			
		Inbound	Outbound	Intra	
		Upbound	Downbnd	Upbound	Downbnd
Total, all commodities	9,732	796	642	5,389	2,905
Total petroleum and petroleum products	217	217	---	---	---
Subtotal petroleum products	217	217	---	---	---
2430 asphalt, tar & pitch	211	211	---	---	---
2540 petroleum coke	6	6	---	---	---
Total chemicals and related products	334	331	---	1	1
Subtotal fertilizers	328	325	---	1	1
3110 nitrogenous fert.	193	190	---	1	1
3120 phosphatic fert.	5	5	---	---	---
3190 fert. & mixes nec	130	130	---	---	---
Subtotal other chemicals and related products	6	6	---	---	---
3220 alcohols	1	1	---	---	---
3274 sodium hydroxide	5	5	---	---	---
Total crude materials, inedible except fuels	8,473	41	142	5,387	2,903
Subtotal soil, sand, gravel, rock and stone	8,444	12	142	5,387	2,903
4331 sand & gravel	8,410	1	142	5,384	2,884
4335 waterway improv. mat	34	11	---	4	20
Subtotal non-ferrous ores and scrap	4	4	---	---	---
4670 manganese ore	4	4	---	---	---
Subtotal sulphur, clay and salt	15	15	---	---	---
4782 clay & refrac. mat.	15	15	---	---	---
Subtotal other non-metal. min.	11	11	---	---	---
4900 non-metal. min. nec	11	11	---	---	---
Total primary manufactured goods	198	198	1	---	---
Subtotal lime, cement and glass	193	193	---	---	---
5220 cement & concrete	193	193	---	---	---
Subtotal primary iron and steel products	2	2	---	---	---
5390 primary i&s nec	2	2	---	---	---
Subtotal primary non-ferrous metal products	3	2	1	---	---
5422 aluminum	0	---	0	---	---
5480 fab. metal products	3	2	0	---	---
Total food and farm products	508	8	500	---	---
Subtotal grain	212	1	211	---	---
6241 wheat	39	---	39	---	---
6344 corn	151	1	150	---	---
6447 sorghum grains	22	---	22	---	---
Subtotal oilseeds	259	---	259	---	---
6522 soybeans	164	---	164	---	---
6590 oilseeds nec	95	---	95	---	---
Subtotal processed grain and animal feed	30	---	30	---	---
6782 animal feed, prep.	30	---	30	---	---
Subtotal other agricultural products	7	7	---	---	---
6865 molasses	7	7	---	---	---
Total all manufactured equipment, machinery and products	0	0	---	---	---
7110 machinery (not elec)	0	0	---	---	---
Ton-miles (x1000)	566,150	307,046	223,552	26,946	8,605

Tons All Traffic (x1000) 9,732
Ton-miles All Traffic (x1000) 566,150

MISSOURI RIVER, KANSAS CITY TO THE MOUTH (INCLUDED IN TRAFFIC OF MISSOURI RIVER, FORT BENTON TO THE MOUTH)

Section Included: Upper end of Quindaro Bend (near Kansas City) to mouth, 374.8 miles (1960 mileage). Maintained Depth: 9 feet.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	5,458	1995	6,594	1998	7,919*	2001	9,295
1993	5,285	1996	7,740	1999	8,853		
1994	7,940	1997	7,781	2000	8,340		

* Revised after original year of publication

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total, all commodities	9,295	570	287	214	393	226	249	4,904	2,451
Total petroleum and petroleum products	217	205	—	—	—	12	—	—	—
Subtotal petroleum products	217	205	—	—	—	12	—	—	—
2430 asphalt, tar & pitch	211	205	—	—	—	6	—	—	—
2540 petroleum coke	6	—	—	—	—	6	—	—	—
Total chemicals and related products	334	140	1	1	—	191	—	—	—
Subtotal fertilizers	328	135	1	1	—	189	—	—	—
3110 nitrogenous fert.	193	66	1	1	—	124	—	—	—
3120 phosphatic fert.	5	3	—	—	—	3	—	—	—
3190 fert. & mixes nec	130	67	—	—	—	63	—	—	—
Subtotal other chemicals and related products	6	5	—	—	—	1	—	—	—
3220 alcohols	1	—	—	—	—	1	—	—	—
3274 sodium hydroxide	5	5	—	—	—	—	—	—	—
Total crude materials, inedible except fuels	8,037	26	286	213	142	16	—	4,904	2,451
Subtotal soil, sand, gravel, rock and stone	8,008	12	286	213	142	—	—	4,904	2,451
4331 sand & gravel	7,985	1	286	213	142	—	—	4,902	2,441
4335 waterway improv. mat	22	11	—	—	—	—	—	2	10
Subtotal non-ferrous ores and scrap	4	—	—	—	—	4	—	—	—
4670 manganese ore	4	—	—	—	—	4	—	—	—
Subtotal sulphur, clay and salt	15	3	—	—	—	12	—	—	—
4782 clay & refrac. mat.	15	3	—	—	—	12	—	—	—
Subtotal other non-metal. min.	11	11	—	—	—	—	—	—	—
4900 non-metal. min. nec	11	11	—	—	—	—	—	—	—
Total primary manufactured goods	198	192	—	—	—	6	1	—	—
Subtotal lime, cement and glass	193	190	—	—	—	3	—	—	—
5220 cement & concrete	193	190	—	—	—	3	—	—	—
Subtotal primary iron and steel products	2	—	—	—	—	2	—	—	—
5390 primary i&s nec	2	—	—	—	—	2	—	—	—
Subtotal primary non-ferrous metal products	3	1	—	—	—	1	1	—	—
5422 aluminum	0	—	—	—	—	—	0	—	—
5480 fab. metal products	3	1	—	—	—	1	0	—	—
Total food and farm products	508	7	—	—	252	1	249	—	—
Subtotal grain	212	—	—	—	136	1	75	—	—
6241 wheat	39	—	—	—	37	—	1	—	—
6344 corn	151	—	—	—	91	1	59	—	—
6447 sorghum grains	22	—	—	—	8	—	14	—	—
Subtotal oilseeds	259	—	—	—	115	—	144	—	—
6522 soybeans	164	—	—	—	111	—	53	—	—
6590 oilseeds nec	95	—	—	—	5	—	90	—	—
Subtotal processed grain and animal feed	30	—	—	—	—	—	30	—	—
6782 animal feed, prep.	30	—	—	—	—	—	30	—	—
Subtotal other agricultural products	7	7	—	—	—	—	—	—	—
6865 molasses	7	7	—	—	—	—	—	—	—
Total all manufactured equipment, machinery and products	0	0	—	—	—	—	—	—	—
7110 machinery (not elec)	0	0	—	—	—	—	—	—	—
Ton-miles (x1000)	436,266	159,500	867	14,077	70,401	84,463	93,205	7,829	5,925
Tons All Traffic (x1000)		9,295							
Ton-miles All Traffic (x1000)		436,266							

Section Included: Mile 627, Omaha, NE to mile 374.8, upper end of Quindaro Bend (near Kansas City), 252.2 miles (1960 mileage). Maintained
Depth: 9 feet.

Year	Total	Year	Total	Year	Total	Year	Total
1992	932	1995	970	1998	2,292*	2001	1,411
1993	1,041	1996	1,210	1999	1,665		
1994	1,424	1997	1,376	2000	1,801		

Freight Traffic, 2001 (thousand short tons)

MISSOURI RIVER DIVISION 3

MISSOURI RIVER, SIOUX CITY TO OMAHA (INCLUDED IN TRAFFIC OF MISSOURI RIVER, FORT BENTON TO THE MOUTH)

Section Included: Mile 734.8, Sioux City, IA, to mile 627, Omaha, NE, 107.8 miles (1960 mileage). Maintained Depth: 9 feet.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	218	1995	156	1998	249	2001	251
1993	231	1996	257	1999	234		
1994	263	1997	309	2000	300		

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal		
		Inbound Upbound	Outbound Downbnd	Intra Upbound
Total, all commodities	251	121	128	2
Total chemicals and related products	115	115	—	—
Subtotal fertilizers	115	115	—	—
3110 nitrogenous fert.	85	85	—	—
3190 fert. & mixes nec	30	30	—	—
Total crude materials, inedible except fuels	17	5	10	2
Subtotal soil, sand, gravel, rock and stone	12	—	10	2
4335 waterway improv. mat	12	—	10	2
Subtotal non-ferrous ores and scrap	4	4	—	—
4670 manganese ore	4	4	—	—
Subtotal sulphur, clay and salt	1	1	—	—
4782 clay & refrac. mat.	1	1	—	—
Total primary manufactured goods	1	1	—	—
Subtotal primary non-ferrous metal products	1	1	—	—
5480 fab. metal products	1	1	—	—
Total food and farm products	118	—	118	—
Subtotal grain	3	—	3	—
6344 corn	3	—	3	—
Subtotal oilseeds	85	—	85	—
6590 oilseeds nec	85	—	85	—
Subtotal processed grain and animal feed	30	—	30	—
6782 animal feed, prep.	30	—	30	—
Ton-miles (x1000)	20,228	11,701	8,460	67
Tons All Traffic (x1000)	251			
Ton-miles All Traffic (x1000)	20,228			

PORT OF KANSAS CITY (INCLUDED IN TRAFFIC OF MISSOURI RIVER, KANSAS CITY TO THE MOUTH)

Section Included: Missouri River, mile 374.8 to mile 353.8 (1960 mileage). Maintained Depth: 9 feet.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	1,988	1995	2,372	1998	3,489*	2001	4,276
1993	1,818	1996	3,010	1999	3,864		
1994	2,816	1997	3,417	2000	3,820		

* Revised after original year of publication

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal		
		Receipts	Shipments	Intraport
Total, all commodities	4,276	607	191	3,477
Total petroleum and petroleum products	205	205	—	—
Subtotal petroleum products	205	205	—	—
2430 asphalt, tar & pitch	205	205	—	—
Total chemicals and related products	43	43	—	—
Subtotal fertilizers	38	38	—	—
3110 nitrogenous fert.	21	21	—	—
3190 fert. & mixes nec	17	17	—	—
Subtotal other chemicals and related products	5	5	—	—
3274 sodium hydroxide	5	5	—	—
Total crude materials, inedible except fuels	3,926	297	152	3,477
Subtotal soil, sand, gravel, rock and stone	3,916	287	152	3,477
4331 sand & gravel	3,916	287	152	3,477
Subtotal sulphur, clay and salt	3	3	—	—
4782 clay & refrac. mat.	3	3	—	—
Subtotal other non-metal. min.	7	7	—	—
4900 non-metal. min. nec	7	7	—	—
Total primary manufactured goods	62	62	—	—
Subtotal lime, cement and glass	60	60	—	—
5220 cement & concrete	60	60	—	—
Subtotal primary non-ferrous metal products	1	1	—	—
5480 fab. metal products	1	1	—	—
Total food and farm products	39	—	39	—
Subtotal grain	32	—	32	—
6241 wheat	24	—	24	—
6447 sorghum grains	8	—	8	—
Subtotal oilseeds	7	—	7	—
6522 soybeans	6	—	6	—
6590 oilseeds nec	2	—	2	—
Total all manufactured equipment, machinery and products	0	0	—	—
7110 machinery (not elec)	0	0	—	—

Other Harbors and Waterways 2001

Harbor or Waterway Project	Commodity	Thousand Short Tons
MISSOURI RIVER, FORT BENTON, MT TO SIOUX CITY, IA (INCLUDED IN TRAFFIC OF MISSOURI RIVER, FORT BENTON TO THE MOUTH)	No Commerce Reported	

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker

MISSOURI RIVER, FORT BENTON, MT TO THE MOUTH (CONSOLIDATED REPORT)

Upbound							Downbound					
Grand Total	31,252	100	---	15,461	15,585	106	31,427	100	---	15,462	15,785	80
DOMESTIC												
Total	31,252	100	---	15,461	15,585	106	31,427	100	---	15,462	15,785	80
11	1	---	---	---	1	---	3	---	---	---	3	---
10	284	---	---	251	33	---	270	---	---	249	21	---
9	63	---	---	1	51	11	28	---	---	1	27	---
8	2,045	---	---	159	1,846	40	4,760	---	---	159	4,601	---
7	1,990	100	---	407	1,431	52	1,251	100	---	362	789	---
6	7,546	---	---	4,650	2,896	---	6,618	---	---	4,292	2,326	---
5	7,000	---	---	4,166	2,834	---	8,510	---	---	6,272	2,238	---
4	2,038	---	---	1,786	252	---	1,097	---	---	963	134	---
3	1,857	---	---	1,737	118	2	988	---	---	898	90	---
2	3,894	---	---	10	3,883	1	3,414	---	---	6	3,330	78
1	4,534	---	---	2,294	2,240	---	4,488	---	---	2,260	2,226	2
Total trips:											62,679	

MISSOURI RIVER, KANSAS CITY TO THE MOUTH

Upbound							Downbound					
Grand Total	28,082	---	---	13,924	14,052	106	28,058	---	---	13,925	14,053	80
DOMESTIC												
Total	28,082	---	---	13,924	14,052	106	28,058	---	---	13,925	14,053	80
10	285	---	---	251	34	---	272	---	---	249	23	---
9	63	---	---	1	51	11	28	---	---	1	27	---
8	2,035	---	---	149	1,846	40	581	---	---	146	435	---
7	1,890	---	---	407	1,431	52	1,151	---	---	362	789	---
6	7,367	---	---	4,650	2,717	---	13,315	---	---	5,483	7,832	---
5	4,825	---	---	2,658	2,167	---	7,311	---	---	5,571	1,740	---
4	2,038	---	---	1,786	252	---	1,097	---	---	963	134	---
3	1,806	---	---	1,728	76	2	972	---	---	890	82	---
2	3,239	---	---	---	3,238	1	3,052	---	---	---	2,974	78
1	4,534	---	---	2,294	2,240	---	279	---	---	260	17	2
Total trips:											56,140	

MISSOURI RIVER, OMAHA TO KANSAS CITY

Upbound							Downbound					
Grand Total	4,966	100	---	2,362	2,496	8	4,693	100	---	2,362	2,226	5
DOMESTIC												
Total	4,966	100	---	2,362	2,496	8	4,693	100	---	2,362	2,226	5
11	1	---	---	---	1	---	---	---	---	---	---	---
10	4	---	---	---	4	---	9	---	---	---	9	---
9	7	---	---	---	5	2	13	---	---	---	13	---
8	141	---	---	36	104	1	164	---	---	39	125	---
7	149	100	---	2	44	3	135	100	---	2	33	---
6	399	---	---	---	399	---	461	---	---	---	461	---
5	3,148	---	---	2,290	858	---	2,808	---	---	2,309	499	---
4	18	---	---	---	18	---	---	---	---	---	---	---
3	69	---	---	27	40	2	22	---	---	7	15	---
2	1,029	---	---	7	1,022	---	1,074	---	---	5	1,064	5
1	1	---	---	---	1	---	7	---	---	---	7	---
Total trips:											9,659	

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker

MISSOURI RIVER, SIOUX CITY TO OMAHA

Upbound

Downbound

Grand Total	237	—	—	80	157	—	312	—	—	102	210	—
--------------------	------------	---	---	-----------	------------	---	------------	---	---	------------	------------	---

DOMESTIC

Total	237	—	—	80	157	—	312	—	—	102	210	—
11	1	—	—	—	1	—	1	—	—	—	1	—
10	3	—	—	—	3	—	4	—	—	—	4	—
9	3	—	—	—	3	—	4	—	—	—	4	—
8	75	—	—	20	55	—	82	—	—	22	60	—
7	29	—	—	—	29	—	18	—	—	—	18	—
6	6	—	—	—	6	—	31	—	—	—	31	—
5	46	—	—	44	2	—	66	—	—	66	—	—
3	41	—	—	7	34	—	16	—	—	8	8	—
2	33	—	—	9	24	—	78	—	—	6	72	—
1	—	—	—	—	—	—	12	—	—	—	12	—
Total trips:											549	

PORT OF KANSAS CITY

Inbound

Outbound

Grand Total	12,914	—	—	6,552	6,281	81	13,371	—	—	6,545	6,763	63
--------------------	---------------	---	---	--------------	--------------	-----------	---------------	---	---	--------------	--------------	-----------

DOMESTIC

Total	12,914	—	—	6,552	6,281	81	13,371	—	—	6,545	6,763	63
11	—	—	—	—	—	—	2	—	—	—	2	—
10	3	—	—	—	3	—	—	—	—	—	—	—
9	18	—	—	1	11	6	4	—	—	1	3	—
8	142	—	—	65	40	37	72	—	—	59	13	—
7	87	—	—	23	26	38	30	—	—	22	8	—
6	1,562	—	—	1	1,561	—	1,354	—	—	1	1,353	—
5	8,112	—	—	6,462	1,650	—	8,111	—	—	6,462	1,649	—
4	56	—	—	—	56	—	75	—	—	—	75	—
3	48	—	—	—	48	—	37	—	—	—	37	—
2	2,886	—	—	—	2,886	—	3,670	—	—	—	3,609	61
1	—	—	—	—	—	—	16	—	—	—	14	2
Total trips:											26,285	

MISSOURI RIVER, FORT BENTON, MT TO SIOUX CITY, IA
(8 feet and less)

Upbound

Downbound

Grand Total	1	—	—	1	—	—	1	—	—	1	—	—
Total trips:											2	

FREIGHT TRAFFIC INDEX

	K	
KANSAS CITY (PORT OF KANSAS CITY)		5
	M	
MISSOURI RIVER, FORT BENTON, MT TO THE MOUTH (CONSOLIDATED REPORT)		1
MISSOURI RIVER:		
FORT BENTON, MT TO MOUTH (CONSOLIDATED REPORT)		1
FORT BENTON, MT TO SIOUX CITY, IA		6
KANSAS CITY TO THE MOUTH		2
OMAHA TO KANSAS CITY.		3
PORT OF KANSAS CITY, MO		5
SIOUX CITY TO OMAHA.		4
	P	
PORT OF KANSAS CITY, MO		5

TRIPS AND DRAFTS INDEX

	K	
KANSAS CITY (PORT OF KANSAS CITY)		8
	M	
MISSOURI RIVER, FORT BENTON, MT TO THE MOUTH (CONSOLIDATED REPORT)		7
MISSOURI RIVER:		
FORT BENTON, MT TO MOUTH (CONSOLIDATED REPORT)		7
FORT BENTON, MT TO SIOUX CITY, IA		8
KANSAS CITY TO THE MOUTH		7
OMAHA TO KANSAS CITY		7
PORT OF KANSAS CITY, MO		8
SIOUX CITY TO OMAHA		8
	P	
PORT OF KANSAS CITY, MO		8

Port Facilities by Waterway

Waterway: **Missouri River** Mile: 503.0 PWD: 183
Name: **Maczuk Industries, Craig Terminal Dock.**
Port: Missouri/Arkansas R.
Location: Left bank, Missouri River, mile 503.0, approximately 5 miles above Rulo (U.S. Highway 159) Bridge. Datum: CRP
Operator: Maczuk, Industries, Inc.
Owner: Maczuk, Industries,
Address: 19654 Candle Road Phone: 816/683-5341
Town: Craig State: MO County: Holt
Railway Connection: None.
Purpose: Receipt of liquid fertilizer.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.1175
Total Berthing Space (feet): 210 | | Longitude (decimal): -95.39139
Remarks: One 6-inch pipeline on loading platform connects with four 6-inch pipelines extending to 5 steel storage tanks at terminal in rear, total capacity 2,529,800 gallons.

Port Series: 68 Year of Last Survey: 2000 Corps of Engns Waterway Code: 51503 Omaha District

Waterway: **Missouri River** Mile: 535.1 PWD: 184
Name: **Brownville Development Corp. Riverboat Dock.**
Port: Missouri/Arkansas R.
Location: Right bank, Missouri River, mile 535.1, approximately 1000 feet below Brownville (U.S. Highway 136) Bridge. Datum: CRP
Operator: Brownville Development Corp.
Owner: Brownville Development Corp.
Address: Phone: 402/825-6441
Town: Brownville State: NE County: Nemaha
Railway Connection: None.
Purpose: Landing for excursion vessels.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.396389
Total Berthing Space (feet): 175 | | Longitude (decimal): -95.65111
Remarks: MV 'Spirit of Brownville' and MV 'Belle of Brownville' operate summer river cruise schedule from wharf. Brownville Recreation Area at rear is administered by State of Nebraska Game and Parks Department.

Port Series: 68 Year of Last Survey: 2000 Corps of Engns Waterway Code: 51535 Omaha District

Port Facilities by Waterway

Waterway: **Missouri River** Mile: 535.2 PWD: 185
Name: **Searcy Grain, Dock.**
Port: Missouri/Arkansas R.
Location: Right bank, Missouri River, mile 535.2, below Brownville (U.S. Highway 136) Bridge. Datum: CRP
Operator: Searcy Grain
Owner: Searcy Grain
Address: East Main Street at Missouri River Phone: 402/825-3351
Town: Brownville State: NE County: Nemaha
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.398056
Total Berthing Space (feet): 195 | | Longitude (decimal): -95.65222
Remarks: Grain elevator in rear consisting of a concrete storage building with 7 bins and 7 steel storage tanks has total capacity for 357,000 bushels.□

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 51535 Omaha District

Waterway: **Missouri River** Mile: 535.4 PWD: 186
Name: **Bunge Corp., Brownville Elevator Dock.**
Port: Missouri/Arkansas R.
Location: Right bank, Missouri River, mile 535.4, above Brownville (U.S. Highway 136) Bridge. Datum: CRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: 415 North First Street Phone: 402/825-3661
Town: Brownville State: NE County: Nemaha
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.400833
Total Berthing Space (feet): 280 | | Longitude (decimal): -95.655
Remarks: Grain elevator atop hill at rear consisting of 8 concrete silos with 10 interstices and 17 steel tanks has capacity for 842,000 bushels.□

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 51535 Omaha District

Port Facilities by Waterway

Waterway: **Missouri River** Mile: 561.8 PWD: 187

Name: **DeBruce Grain, Nebraska City Elevator Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 561.8, below Old State Highway 2 Bridge. Datum: CRP

Operator: DeBruce Grain, Inc.

Owner: DeBruce Grain, Inc.

Address: 500 First Terrace Phone: 402/873-6684

Town: Nebraska City State: NE County: Otoe

Railway Connection: Two surface tracks, total capacity 75 cars, serves undertrack pits and loading spouts; connects with Union Pacific Railroad.

Purpose: Shipment of grain.

Depth Alongside (feet): 8 | | Latitude (decimal): 40.672778

Total Berthing Space (feet): 550 | | Longitude (decimal): -95.83667

Remarks: Grain elevator at rear consisting of 42 concrete silos with 12 interstices has capacity for 956,000 bushels. □

Port Series: 68 Year of Last Survey: 2000 Corps of Engns Waterway Code: 51562 Omaha District

Waterway: **Missouri River** Mile: 562.3 PWD: 189

Name: **Bartlett and Co., Nebraska City Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 562.3, approximately 0.5 miles below Old Nebraska State Highway 2 Bridge Datum: CRP

Operator: Bartlett and Co.

Owner: Bartlett and Co.

Address: North First Street Phone: 402/873-3465

Town: Nebraska City State: NE County: Otoe

Railway Connection: One 9-car-capacity surface track serves undertrack pit and loading spout; connects with Union Pacific Railroad.

Purpose: Shipment of grain.

Depth Alongside (feet): 10 | | Latitude (decimal): 40.678333

Total Berthing Space (feet): 200 | | Longitude (decimal): -95.84472

Remarks: Grain elevator at rear consisting of 18 concrete bins and 2 steel tanks has capacity for 900,000 bushels. □

Port Series: 68 Year of Last Survey: 2000 Corps of Engns Waterway Code: 51562 Omaha District

Port Facilities by Waterway

Waterway: **Missouri River** Mile: 562.3 PWD: 188

Name: **DeBruce Ag Service, Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 562.3, approximately 0.5 mile above Old State Highway 2 Bridge. Datum: CRP

Operator: DeBruce Ag Service, Inc.

Owner: City of Nebraska City.

Address: 200 East Central Avenue Phone: 402/873-3434

Town: Nebraska City State: NE County: Otoe

Railway Connection: One surface track on apron and one at rear of storage building, total capacity 8 cars, connects with Union Pacific Railroad.

Purpose: Receipt of dry bulk fertilizer and steel products; receipt and shipment of miscellaneous dry bulk materials and occasionally general cargo.

Depth Alongside (feet): 11 | | Latitude (decimal): 40.677222

Total Berthing Space (feet): 590 | | Longitude (decimal): -95.84389

Remarks: Three bulk fertilizer storage buildings at rear have total capacity for 102,000 tons of fertilizer. □

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 51562 Omaha District

Waterway: **Missouri River** Mile: 562.7 PWD: 190

Name: **American Commercial Terminals, Nebraska City, Tank Farm Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 562.7, approximately 0.9 mile below Old Nebraska State Highway 2 Bridge Datum: CRP

Operator: American Commercial Terminals, LLC.

Owner: City of Nebraska City.

Address: 600 North First Street Phone: 402/341-1300

Town: Nebraska City State: NE County: Otoe

Railway Connection: One 10-car-capacity surface track serves terminal at rear, connects with Union Pacific Railroad.

Purpose: Receipt of liquid livestock feed.

Depth Alongside (feet): 15 | | Latitude (decimal): 40.682778

Total Berthing Space (feet): 130 | | Longitude (decimal): -95.84694

Remarks: Two 6-inch pipelines connect dolphins with 4 steel storage tanks, total capacity 15,000 tons. □

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 51562 Omaha District

Port Facilities by Waterway

Waterway: **Missouri River** Mile: 584.5 PWD: 191
 Name: **Haveman Grain Co., Rock Bluff Grain Elevator, Dock.**
 Port: Missouri/Arkansas R.
 Location: Right bank, Missouri River, mile 584.5, approximately 6 miles below Plattsmouth Datum: CRP
 (U.S. Highway 34) Bridge
 Operator: Haveman Grain Co.
 Owner: Haveman Grain Co.
 Address: 4414 Rock Bluff Road. Phone: 402/235-2549
 Town: Rock Bluff State: NE County: Cass
 Railway Connection: None.
 Purpose: Shipment of grain.
 Depth Alongside (feet): 10 | | Latitude (decimal): 40.931111
 Total Berthing Space (feet): 825 | | Longitude (decimal): -95.84056
 Remarks: Grain elevator at rear consisting of 8 concrete silos with 4 interstices has capacity for 250,000 bushels.□

Port Series: 68 Year of Last Survey: 2000 Corps of Engns Waterway Code: 51584 Omaha District

Waterway: **Missouri River** Mile: 595.3 PWD: 192
 Name: **PCS Nitrogen, Bellevue Plant Dock.**
 Port: Missouri/Arkansas R.
 Location: Right bank, Missouri River, mile 595.3, above mouth of Platte River. Datum: CRP
 Operator: Not operated
 Owner: PCS Nitrogen Fertilizer LP
 Address: 202 Allied Road Phone: 402/491-0227
 Town: Bellevue State: NE County: Sarpy
 Railway Connection: Trackage serving plant in rear connects with Burlington Northern Santa Fe Railway.
 Purpose: Not used.
 Depth Alongside (feet): 14 | | Latitude (decimal): 41.065
 Total Berthing Space (feet): 360 | | Longitude (decimal): -95.88306
 Remarks: At time of survey (2000) plant had ceased operation and the future of the plant and wharf facility was not known. One 8-inch pipeline extends to wharf from 6 steel storage tanks at plant in rear, total capacity 12,922,000 gallons.

Port Series: 68 Year of Last Survey: 2000 Corps of Engns Waterway Code: 51595 Omaha District

Port Facilities by Waterway

Waterway: **Missouri River** Mile: 612.1 PWD: 193

Name: **Westway Feed Products Co. South Omaha Plant Wharf.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 612.1, approximately 500 feet below South Omaha Datum: CRP
(U.S. Highway 275) Brid

Operator: Not operated.

Owner: Westway Feed Products Co.

Address: 1201 M Street Phone: 402/733-7377

Town: Omaha State: NE County: Douglas

Railway Connection: One surface track serves 6 loading stations at terminal in rear; connects with Burlington Northern Santa Fe Railway.

Purpose: Not used.

Depth Alongside (feet): 10 | | Latitude (decimal): 41.21

Total Berthing Space (feet): 260 | | Longitude (decimal): -95.9275

Remarks: One 12-inch pipeline extends from pier to 9 steel storage tanks at terminal in rear, total capacity 25,000 tons. One 4-inch steam line serves pier. □

Port Series: 68 Year of Last Survey: 2000 Corps of Engns Waterway Code: 51612 Omaha District

Waterway: **Missouri River** Mile: 614.3 PWD: 194

Name: **AGRI Grain Marketing, Council Bluffs Terminal Dock.**

Port: Missouri/Arkansas R.

Location: Left bank, Missouri River, mile 614.3, approximately 0.5 mile above Interstate Datum: CRP
Highway 80 Bridge.

Operator: AGRI Grain Marketing.

Owner: AGRI Grain Marketing.

Address: 2401 South 37th Street Phone: 712/325-7201

Town: Council Bluffs State: IA County: Pottawattamie

Railway Connection: Nine surface tracks, total capacity 104 cars, serve undertrack pit and loading spout; connect with Union Pacific Railroad.

Purpose: Shipment of grain.

Depth Alongside (feet): 10 | | Latitude (decimal): 41.237778

Total Berthing Space (feet): 700 | | Longitude (decimal): -95.90972

Remarks: Grain elevator at rear, consisting of 24 concrete silos and interstices and 7 steel tanks, has capacity for 1,600,000 bushels. □

Port Series: 68 Year of Last Survey: 2000 Corps of Engns Waterway Code: 51614 Omaha District

Port Facilities by Waterway

Waterway: **Missouri River** Mile: 614.5 PWD: 195

Name: **Agrilience Co., Council Bluffs Terminal Dock.**

Port: Missouri/Arkansas R.

Location: Left bank, Missouri River, mile 614.5, approximately 0.6 mile above Interstate Highway 80 Bridge. Datum: CRP

Operator: Agrilience Co.

Owner: Agrilience Co.

Address: 2301 South 37th Street Phone: 712/322-8287

Town: Council Bluffs State: IA County: Pottawattamie

Railway Connection: Two surface tracks, total capacity 10 cars, serve 2 undertrack pits at storage building in rear; connect with Union Pacific Railroad.

Purpose: Receipt of dry bulk fertilizer.

Depth Alongside (feet): 9 - 10 | | Latitude (decimal): 41.240278

Total Berthing Space (feet): 360 | | Longitude (decimal): -95.91

Remarks: Timber and concrete storage building at rear has capacity for 25,000 tons.□□

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 51614 Omaha District

Waterway: **Missouri River** Mile: 614.6 PWD: 196

Name: **Ameristar Casino Boat Slip.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 614.6, approximately 0.7 mile above Interstate Highway 80 Bridge. Datum: CRP

Operator: Ameristar Casino.

Owner: Ameristar Casino.

Address: 2200 River Road Phone: 712/329-4560

Town: Council Bluffs State: IA County: Pottawattamie

Railway Connection: None.

Purpose: Mooring Casino Boat 'Ameristar II'.

Depth Alongside (feet): 10 | | Latitude (decimal): 41.241667

Total Berthing Space (feet): 300 | | Longitude (decimal): -95.91056

Remarks: Casino boat provides periodic river excursions.□□

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 51614 Omaha District

Port Facilities by Waterway

Waterway: **Missouri River** Mile: 616.2 PWD: 197

Name: **American Commercial Terminals, Omaha Terminal Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 616,2, approximately 1,700 feet above Interstate Highway 480 Bridge. Datum: CRP

Operator: American Commercial Terminals, LLC.

Owner: City of Omaha.

Address: 701 Abbott Drive Phone: 402/341-1300

Town: Omaha State: NE County: Douglas

Railway Connection: One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.

Purpose: Receipt of steel and paper products, baler twine and miscellaneous general cargo.

Depth Alongside (feet): 11 | | Latitude (decimal): 41.264444

Total Berthing Space (feet): 575 | | Longitude (decimal): -95.92306

Waterway: **Missouri River** Mile: 616.2 PWD: 197

Name: **American Commercial Terminals, Omaha Terminal Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 616,2, approximately 1,700 feet above Interstate Highway 480 Bridge. Datum: CRP

Operator: American Commercial Terminals, LLC.

Owner: City of Omaha.

Address: 701 Abbott Drive Phone: 402/341-1300

Town: Omaha State: NE County: Douglas

Railway Connection: One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.

Purpose: Receipt of steel and paper products, baler twine and miscellaneous general cargo.

Depth Alongside (feet): 11 | | Latitude (decimal): 41.264444

Total Berthing Space (feet): 575 | | Longitude (decimal): -95.92306

Waterway: **Missouri River** Mile: 616.2 PWD: 197

Name: **American Commercial Terminals, Omaha Terminal Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 616,2, approximately 1,700 feet above Interstate Highway 480 Bridge. Datum: CRP

Operator: American Commercial Terminals, LLC.

Owner: City of Omaha.

Address: 701 Abbott Drive Phone: 402/341-1300

Town: Omaha State: NE County: Douglas

Railway Connection: One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.

Purpose: Receipt of steel and paper products, baler twine and miscellaneous general cargo.

Depth Alongside (feet): 11 | | Latitude (decimal): 41.264444

Total Berthing Space (feet): 575 | | Longitude (decimal): -95.92306

Port Facilities by Waterway

Waterway:	Missouri River			Mile: 616.2	PWD: 197
Name:	American Commercial Terminals, Omaha Terminal Dock.				
Port:	Missouri/Arkansas R.				
Location:	Right bank, Missouri River, mile 616,2, approximately 1,700 feet above Interstate Highway 480 Bridge.			Datum: CRP	
Operator:	American Commercial Terminals, LLC.				
Owner:	City of Omaha.				
Address:	701 Abbott Drive			Phone: 402/341-1300	
Town:	Omaha	State: NE	County: Douglas		
Railway Connection:	One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.				
Purpose:	Receipt of steel and paper products, baler twine and miscellaneous general cargo.				
Depth Alongside (feet):	11			Latitude (decimal):	41.264444
Total Berthing Space (feet):	575			Longitude (decimal):	-95.92306
Remarks:	Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.				
Port Series: 68	Year of Last Survey: 2000		Corps of Engnrs Waterway Code: 51616		Omaha District
<hr/>					
Remarks:	Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.				
Port Series: 68	Year of Last Survey: 2000		Corps of Engnrs Waterway Code: 51616		Omaha District
<hr/>					
Remarks:	Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.				
Port Series: 68	Year of Last Survey: 2000		Corps of Engnrs Waterway Code: 51616		Omaha District
<hr/>					
Remarks:	Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.				
Port Series: 68	Year of Last Survey: 2000		Corps of Engnrs Waterway Code: 51616		Omaha District

Port Facilities by Waterway

Waterway: **Missouri River** Mile: 616.2 PWD: 197

Name: **American Commercial Terminals, Omaha Terminal Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 616,2, approximately 1,700 feet above Interstate Highway 480 Bridge. Datum: CRP

Operator: American Commercial Terminals, LLC.

Owner: City of Omaha.

Address: 701 Abbott Drive Phone: 402/341-1300

Town: Omaha State: NE County: Douglas

Railway Connection: One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.

Purpose: Receipt of steel and paper products, baler twine and miscellaneous general cargo.

Depth Alongside (feet):	11				Latitude (decimal):	41.264444
Total Berthing Space (feet):	575				Longitude (decimal):	-95.92306

Waterway: **Missouri River** Mile: 616.2 PWD: 197

Name: **American Commercial Terminals, Omaha Terminal Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 616,2, approximately 1,700 feet above Interstate Highway 480 Bridge. Datum: CRP

Operator: American Commercial Terminals, LLC.

Owner: City of Omaha.

Address: 701 Abbott Drive Phone: 402/341-1300

Town: Omaha State: NE County: Douglas

Railway Connection: One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.

Purpose: Receipt of steel and paper products, baler twine and miscellaneous general cargo.

Depth Alongside (feet):	11				Latitude (decimal):	41.264444
Total Berthing Space (feet):	575				Longitude (decimal):	-95.92306

Waterway: **Missouri River** Mile: 616.2 PWD: 197

Name: **American Commercial Terminals, Omaha Terminal Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 616,2, approximately 1,700 feet above Interstate Highway 480 Bridge. Datum: CRP

Operator: American Commercial Terminals, LLC.

Owner: City of Omaha.

Address: 701 Abbott Drive Phone: 402/341-1300

Town: Omaha State: NE County: Douglas

Railway Connection: One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.

Purpose: Receipt of steel and paper products, baler twine and miscellaneous general cargo.

Depth Alongside (feet):	11				Latitude (decimal):	41.264444
Total Berthing Space (feet):	575				Longitude (decimal):	-95.92306

Port Facilities by Waterway

Waterway:	Missouri River			Mile: 616.2	PWD: 197
Name:	American Commercial Terminals, Omaha Terminal Dock.				
Port:	Missouri/Arkansas R.				
Location:	Right bank, Missouri River, mile 616.2, approximately 1,700 feet above Interstate Highway 480 Bridge.			Datum:	CRP
Operator:	American Commercial Terminals, LLC.				
Owner:	City of Omaha.				
Address:	701 Abbott Drive		Phone: 402/341-1300		
Town:	Omaha	State: NE	County: Douglas		
Railway Connection:	One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.				
Purpose:	Receipt of steel and paper products, baler twine and miscellaneous general cargo.				
Depth Alongside (feet):	11			Latitude (decimal):	41.264444
Total Berthing Space (feet):	575			Longitude (decimal):	-95.92306
Remarks:	Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks:	Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks:	Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks:	Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	

Port Facilities by Waterway

Waterway: **Missouri River** Mile: 616.2 PWD: 197

Name: **American Commercial Terminals, Omaha Terminal Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 616,2, approximately 1,700 feet above Interstate Highway 480 Bridge. Datum: CRP

Operator: American Commercial Terminals, LLC.

Owner: City of Omaha.

Address: 701 Abbott Drive Phone: 402/341-1300

Town: Omaha State: NE County: Douglas

Railway Connection: One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.

Purpose: Receipt of steel and paper products, baler twine and miscellaneous general cargo.

Depth Alongside (feet):	11				Latitude (decimal):	41.264444
Total Berthing Space (feet):	575				Longitude (decimal):	-95.92306

Waterway: **Missouri River** Mile: 616.2 PWD: 197

Name: **American Commercial Terminals, Omaha Terminal Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 616,2, approximately 1,700 feet above Interstate Highway 480 Bridge. Datum: CRP

Operator: American Commercial Terminals, LLC.

Owner: City of Omaha.

Address: 701 Abbott Drive Phone: 402/341-1300

Town: Omaha State: NE County: Douglas

Railway Connection: One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.

Purpose: Receipt of steel and paper products, baler twine and miscellaneous general cargo.

Depth Alongside (feet):	11				Latitude (decimal):	41.264444
Total Berthing Space (feet):	575				Longitude (decimal):	-95.92306

Waterway: **Missouri River** Mile: 616.2 PWD: 197

Name: **American Commercial Terminals, Omaha Terminal Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 616,2, approximately 1,700 feet above Interstate Highway 480 Bridge. Datum: CRP

Operator: American Commercial Terminals, LLC.

Owner: City of Omaha.

Address: 701 Abbott Drive Phone: 402/341-1300

Town: Omaha State: NE County: Douglas

Railway Connection: One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.

Purpose: Receipt of steel and paper products, baler twine and miscellaneous general cargo.

Depth Alongside (feet):	11				Latitude (decimal):	41.264444
Total Berthing Space (feet):	575				Longitude (decimal):	-95.92306

Port Facilities by Waterway

Waterway:	Missouri River			Mile: 616.2	PWD: 197
Name:	American Commercial Terminals, Omaha Terminal Dock.				
Port:	Missouri/Arkansas R.				
Location:	Right bank, Missouri River, mile 616.2, approximately 1,700 feet above Interstate Highway 480 Bridge.			Datum:	CRP
Operator:	American Commercial Terminals, LLC.				
Owner:	City of Omaha.				
Address:	701 Abbott Drive		Phone: 402/341-1300		
Town:	Omaha	State: NE	County: Douglas		
Railway Connection:	One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.				
Purpose:	Receipt of steel and paper products, baler twine and miscellaneous general cargo.				
Depth Alongside (feet):	11			Latitude (decimal):	41.264444
Total Berthing Space (feet):	575			Longitude (decimal):	-95.92306
Remarks:	Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks:	Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks:	Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks:	Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	

Port Facilities by Waterway

Waterway: **Missouri River** Mile: 616.2 PWD: 197

Name: **American Commercial Terminals, Omaha Terminal Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 616,2, approximately 1,700 feet above Interstate Highway 480 Bridge. Datum: CRP

Operator: American Commercial Terminals, LLC.

Owner: City of Omaha.

Address: 701 Abbott Drive Phone: 402/341-1300

Town: Omaha State: NE County: Douglas

Railway Connection: One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.

Purpose: Receipt of steel and paper products, baler twine and miscellaneous general cargo.

Depth Alongside (feet):	11				Latitude (decimal):	41.264444
Total Berthing Space (feet):	575				Longitude (decimal):	-95.92306

Waterway: **Missouri River** Mile: 616.2 PWD: 197

Name: **American Commercial Terminals, Omaha Terminal Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 616,2, approximately 1,700 feet above Interstate Highway 480 Bridge. Datum: CRP

Operator: American Commercial Terminals, LLC.

Owner: City of Omaha.

Address: 701 Abbott Drive Phone: 402/341-1300

Town: Omaha State: NE County: Douglas

Railway Connection: One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.

Purpose: Receipt of steel and paper products, baler twine and miscellaneous general cargo.

Depth Alongside (feet):	11				Latitude (decimal):	41.264444
Total Berthing Space (feet):	575				Longitude (decimal):	-95.92306

Waterway: **Missouri River** Mile: 616.2 PWD: 197

Name: **American Commercial Terminals, Omaha Terminal Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 616,2, approximately 1,700 feet above Interstate Highway 480 Bridge. Datum: CRP

Operator: American Commercial Terminals, LLC.

Owner: City of Omaha.

Address: 701 Abbott Drive Phone: 402/341-1300

Town: Omaha State: NE County: Douglas

Railway Connection: One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.

Purpose: Receipt of steel and paper products, baler twine and miscellaneous general cargo.

Depth Alongside (feet):	11				Latitude (decimal):	41.264444
Total Berthing Space (feet):	575				Longitude (decimal):	-95.92306

Port Facilities by Waterway

Waterway:	Missouri River			Mile: 616.2	PWD: 197
Name:	American Commercial Terminals, Omaha Terminal Dock.				
Port:	Missouri/Arkansas R.				
Location:	Right bank, Missouri River, mile 616.2, approximately 1,700 feet above Interstate Highway 480 Bridge.			Datum:	CRP
Operator:	American Commercial Terminals, LLC.				
Owner:	City of Omaha.				
Address:	701 Abbott Drive		Phone: 402/341-1300		
Town:	Omaha	State: NE	County: Douglas		
Railway Connection:	One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.				
Purpose:	Receipt of steel and paper products, baler twine and miscellaneous general cargo.				
Depth Alongside (feet):	11			Latitude (decimal):	41.264444
Total Berthing Space (feet):	575			Longitude (decimal):	-95.92306
Remarks:	Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks:	Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks:	Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks:	Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	

Port Facilities by Waterway

Waterway: Missouri River	Mile: 616.3 PWD: 198
Name: American Commercial Terminals, Omaha Grain Dock.	
Port: Missouri/Arkansas R.	
Location: Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge. Datum: CRP	
Operator: American Commercial Terminals, LLC.	
Owner: City of Omaha.	
Address:	Phone: 402/341-1300
Town: Omaha	County: Douglas
State: NE	
Railway Connection: One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.	
Purpose: Shipment of grain, alfalfa pellets, and bone meal.	
Depth Alongside (feet): 11	Latitude (decimal): 41.265278
Total Berthing Space (feet): 150	Longitude (decimal): -95.92361

Waterway: Missouri River	Mile: 616.3 PWD: 198
Name: American Commercial Terminals, Omaha Grain Dock.	
Port: Missouri/Arkansas R.	
Location: Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge. Datum: CRP	
Operator: American Commercial Terminals, LLC.	
Owner: City of Omaha.	
Address:	Phone: 402/341-1300
Town: Omaha	County: Douglas
State: NE	
Railway Connection: One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.	
Purpose: Shipment of grain, alfalfa pellets, and bone meal.	
Depth Alongside (feet): 11	Latitude (decimal): 41.265278
Total Berthing Space (feet): 150	Longitude (decimal): -95.92361

Waterway: Missouri River	Mile: 616.3 PWD: 198
Name: American Commercial Terminals, Omaha Grain Dock.	
Port: Missouri/Arkansas R.	
Location: Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge. Datum: CRP	
Operator: American Commercial Terminals, LLC.	
Owner: City of Omaha.	
Address:	Phone: 402/341-1300
Town: Omaha	County: Douglas
State: NE	
Railway Connection: One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.	
Purpose: Shipment of grain, alfalfa pellets, and bone meal.	
Depth Alongside (feet): 11	Latitude (decimal): 41.265278
Total Berthing Space (feet): 150	Longitude (decimal): -95.92361

Port Facilities by Waterway

Waterway:	Missouri River			Mile: 616.3	PWD: 198
Name:	American Commercial Terminals, Omaha Grain Dock.				
Port:	Missouri/Arkansas R.				
Location:	Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge.			Datum: CRP	
Operator:	American Commercial Terminals, LLC.				
Owner:	City of Omaha.				
Address:				Phone: 402/341-1300	
Town:	Omaha	State:	NE	County: Douglas	
Railway Connection:	One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.				
Purpose:	Shipment of grain, alfalfa pellets, and bone meal.				
Depth Alongside (feet):	11			Latitude (decimal):	41.265278
Total Berthing Space (feet):	150			Longitude (decimal):	-95.92361
Remarks:	-□□				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks: -□□					
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks: -□□					
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks: -□□					
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	

Port Facilities by Waterway

Waterway: Missouri River	Mile: 616.3 PWD: 198
Name: American Commercial Terminals, Omaha Grain Dock.	
Port: Missouri/Arkansas R.	
Location: Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge. Datum: CRP	
Operator: American Commercial Terminals, LLC.	
Owner: City of Omaha.	
Address:	Phone: 402/341-1300
Town: Omaha	State: NE County: Douglas
Railway Connection: One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.	
Purpose: Shipment of grain, alfalfa pellets, and bone meal.	
Depth Alongside (feet): 11	Latitude (decimal): 41.265278
Total Berthing Space (feet): 150	Longitude (decimal): -95.92361

Waterway: Missouri River	Mile: 616.3 PWD: 198
Name: American Commercial Terminals, Omaha Grain Dock.	
Port: Missouri/Arkansas R.	
Location: Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge. Datum: CRP	
Operator: American Commercial Terminals, LLC.	
Owner: City of Omaha.	
Address:	Phone: 402/341-1300
Town: Omaha	State: NE County: Douglas
Railway Connection: One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.	
Purpose: Shipment of grain, alfalfa pellets, and bone meal.	
Depth Alongside (feet): 11	Latitude (decimal): 41.265278
Total Berthing Space (feet): 150	Longitude (decimal): -95.92361

Waterway: Missouri River	Mile: 616.3 PWD: 198
Name: American Commercial Terminals, Omaha Grain Dock.	
Port: Missouri/Arkansas R.	
Location: Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge. Datum: CRP	
Operator: American Commercial Terminals, LLC.	
Owner: City of Omaha.	
Address:	Phone: 402/341-1300
Town: Omaha	State: NE County: Douglas
Railway Connection: One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.	
Purpose: Shipment of grain, alfalfa pellets, and bone meal.	
Depth Alongside (feet): 11	Latitude (decimal): 41.265278
Total Berthing Space (feet): 150	Longitude (decimal): -95.92361

Port Facilities by Waterway

Waterway: Missouri River	Mile: 616.3 PWD: 198
Name: American Commercial Terminals, Omaha Grain Dock.	
Port: Missouri/Arkansas R.	
Location: Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge. Datum: CRP	
Operator: American Commercial Terminals, LLC.	
Owner: City of Omaha.	
Address:	Phone: 402/341-1300
Town: Omaha	County: Douglas
State: NE	
Railway Connection: One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.	
Purpose: Shipment of grain, alfalfa pellets, and bone meal.	
Depth Alongside (feet): 11	Latitude (decimal): 41.265278
Total Berthing Space (feet): 150	Longitude (decimal): -95.92361
Remarks: -□□	

Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616	Omaha District
-----------------	---------------------------	--------------------------------------	----------------

Remarks: -□□

Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616	Omaha District
-----------------	---------------------------	--------------------------------------	----------------

Remarks: -□□

Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616	Omaha District
-----------------	---------------------------	--------------------------------------	----------------

Remarks: -□□

Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616	Omaha District
-----------------	---------------------------	--------------------------------------	----------------

Port Facilities by Waterway

Waterway: Missouri River	Mile: 616.3 PWD: 198
Name: American Commercial Terminals, Omaha Grain Dock.	
Port: Missouri/Arkansas R.	
Location: Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge. Datum: CRP	
Operator: American Commercial Terminals, LLC.	
Owner: City of Omaha.	
Address:	Phone: 402/341-1300
Town: Omaha	State: NE County: Douglas
Railway Connection: One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.	
Purpose: Shipment of grain, alfalfa pellets, and bone meal.	
Depth Alongside (feet): 11	Latitude (decimal): 41.265278
Total Berthing Space (feet): 150	Longitude (decimal): -95.92361

Waterway: Missouri River	Mile: 616.3 PWD: 198
Name: American Commercial Terminals, Omaha Grain Dock.	
Port: Missouri/Arkansas R.	
Location: Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge. Datum: CRP	
Operator: American Commercial Terminals, LLC.	
Owner: City of Omaha.	
Address:	Phone: 402/341-1300
Town: Omaha	State: NE County: Douglas
Railway Connection: One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.	
Purpose: Shipment of grain, alfalfa pellets, and bone meal.	
Depth Alongside (feet): 11	Latitude (decimal): 41.265278
Total Berthing Space (feet): 150	Longitude (decimal): -95.92361

Waterway: Missouri River	Mile: 616.3 PWD: 198
Name: American Commercial Terminals, Omaha Grain Dock.	
Port: Missouri/Arkansas R.	
Location: Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge. Datum: CRP	
Operator: American Commercial Terminals, LLC.	
Owner: City of Omaha.	
Address:	Phone: 402/341-1300
Town: Omaha	State: NE County: Douglas
Railway Connection: One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.	
Purpose: Shipment of grain, alfalfa pellets, and bone meal.	
Depth Alongside (feet): 11	Latitude (decimal): 41.265278
Total Berthing Space (feet): 150	Longitude (decimal): -95.92361

Port Facilities by Waterway

Waterway:	Missouri River			Mile: 616.3	PWD: 198
Name:	American Commercial Terminals, Omaha Grain Dock.				
Port:	Missouri/Arkansas R.				
Location:	Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge.			Datum: CRP	
Operator:	American Commercial Terminals, LLC.				
Owner:	City of Omaha.				
Address:				Phone: 402/341-1300	
Town:	Omaha	State:	NE	County: Douglas	
Railway Connection:	One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.				
Purpose:	Shipment of grain, alfalfa pellets, and bone meal.				
Depth Alongside (feet):	11			Latitude (decimal):	41.265278
Total Berthing Space (feet):	150			Longitude (decimal):	-95.92361
Remarks:	-□□				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks: -□□					
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks: -□□					
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks: -□□					
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	

Port Facilities by Waterway

Waterway: Missouri River	Mile: 616.3 PWD: 198
Name: American Commercial Terminals, Omaha Grain Dock.	
Port: Missouri/Arkansas R.	
Location: Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge. Datum: CRP	
Operator: American Commercial Terminals, LLC.	
Owner: City of Omaha.	
Address:	Phone: 402/341-1300
Town: Omaha	State: NE County: Douglas
Railway Connection: One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.	
Purpose: Shipment of grain, alfalfa pellets, and bone meal.	
Depth Alongside (feet): 11	Latitude (decimal): 41.265278
Total Berthing Space (feet): 150	Longitude (decimal): -95.92361
Waterway: Missouri River	Mile: 616.3 PWD: 198
Name: American Commercial Terminals, Omaha Grain Dock.	
Port: Missouri/Arkansas R.	
Location: Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge. Datum: CRP	
Operator: American Commercial Terminals, LLC.	
Owner: City of Omaha.	
Address:	Phone: 402/341-1300
Town: Omaha	State: NE County: Douglas
Railway Connection: One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.	
Purpose: Shipment of grain, alfalfa pellets, and bone meal.	
Depth Alongside (feet): 11	Latitude (decimal): 41.265278
Total Berthing Space (feet): 150	Longitude (decimal): -95.92361
Waterway: Missouri River	Mile: 616.3 PWD: 198
Name: American Commercial Terminals, Omaha Grain Dock.	
Port: Missouri/Arkansas R.	
Location: Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge. Datum: CRP	
Operator: American Commercial Terminals, LLC.	
Owner: City of Omaha.	
Address:	Phone: 402/341-1300
Town: Omaha	State: NE County: Douglas
Railway Connection: One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.	
Purpose: Shipment of grain, alfalfa pellets, and bone meal.	
Depth Alongside (feet): 11	Latitude (decimal): 41.265278
Total Berthing Space (feet): 150	Longitude (decimal): -95.92361

Port Facilities by Waterway

Waterway:	Missouri River			Mile: 616.3	PWD: 198
Name:	American Commercial Terminals, Omaha Grain Dock.				
Port:	Missouri/Arkansas R.				
Location:	Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge.			Datum: CRP	
Operator:	American Commercial Terminals, LLC.				
Owner:	City of Omaha.				
Address:				Phone: 402/341-1300	
Town:	Omaha	State:	NE	County: Douglas	
Railway Connection:	One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.				
Purpose:	Shipment of grain, alfalfa pellets, and bone meal.				
Depth Alongside (feet):	11			Latitude (decimal):	41.265278
Total Berthing Space (feet):	150			Longitude (decimal):	-95.92361
Remarks:	-□□				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks: -□□					
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks: -□□					
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks: -□□					
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	

Port Facilities by Waterway

Waterway: Missouri River	Mile: 616.4 PWD: 199
Name: American Commercial Terminals, Omaha Loading Platform Dock.	
Port: Missouri/Arkansas R.	
Location: Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge. Datum: CRP	
Operator: American Commercial Terminals, LLC.	
Owner: City of Omaha.	
Address:	Phone: 402/341-1300
Town: Omaha	State: NE County: Douglas
Railway Connection: Trackage serving terminal in rear connects with Union Pacific Railroad.	
Purpose: Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.	
Depth Alongside (feet): 11	Latitude (decimal): 41.266111
Total Berthing Space (feet): 180	Longitude (decimal): -95.92306

Waterway: Missouri River	Mile: 616.4 PWD: 199
Name: American Commercial Terminals, Omaha Loading Platform Dock.	
Port: Missouri/Arkansas R.	
Location: Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge. Datum: CRP	
Operator: American Commercial Terminals, LLC.	
Owner: City of Omaha.	
Address:	Phone: 402/341-1300
Town: Omaha	State: NE County: Douglas
Railway Connection: Trackage serving terminal in rear connects with Union Pacific Railroad.	
Purpose: Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.	
Depth Alongside (feet): 11	Latitude (decimal): 41.266111
Total Berthing Space (feet): 180	Longitude (decimal): -95.92306

Waterway: Missouri River	Mile: 616.4 PWD: 199
Name: American Commercial Terminals, Omaha Loading Platform Dock.	
Port: Missouri/Arkansas R.	
Location: Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge. Datum: CRP	
Operator: American Commercial Terminals, LLC.	
Owner: City of Omaha.	
Address:	Phone: 402/341-1300
Town: Omaha	State: NE County: Douglas
Railway Connection: Trackage serving terminal in rear connects with Union Pacific Railroad.	
Purpose: Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.	
Depth Alongside (feet): 11	Latitude (decimal): 41.266111
Total Berthing Space (feet): 180	Longitude (decimal): -95.92306

Port Facilities by Waterway

Waterway: Missouri River	Mile: 616.4 PWD: 199
Name: American Commercial Terminals, Omaha Loading Platform Dock.	
Port: Missouri/Arkansas R.	
Location: Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge. Datum: CRP	
Operator: American Commercial Terminals, LLC.	
Owner: City of Omaha.	
Address:	Phone: 402/341-1300
Town: Omaha	County: Douglas
State: NE	
Railway Connection: Trackage serving terminal in rear connects with Union Pacific Railroad.	
Purpose: Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.	
Depth Alongside (feet): 11	Latitude (decimal): 41.266111
Total Berthing Space (feet): 180	Longitude (decimal): -95.92306
Remarks: -□□	

Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616	Omaha District
-----------------	---------------------------	--------------------------------------	----------------

Remarks: -□□

Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616	Omaha District
-----------------	---------------------------	--------------------------------------	----------------

Remarks: -□□

Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616	Omaha District
-----------------	---------------------------	--------------------------------------	----------------

Remarks: -□□

Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616	Omaha District
-----------------	---------------------------	--------------------------------------	----------------

Port Facilities by Waterway

Waterway: **Missouri River** Mile: 616.4 PWD: 199

Name: **American Commercial Terminals, Omaha Loading Platform Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge. Datum: CRP

Operator: American Commercial Terminals, LLC.

Owner: City of Omaha.

Address: Phone: 402/341-1300

Town: Omaha State: NE County: Douglas

Railway Connection: Trackage serving terminal in rear connects with Union Pacific Railroad.

Purpose: Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.

Depth Alongside (feet): 11 | | Latitude (decimal): 41.266111

Total Berthing Space (feet): 180 | | Longitude (decimal): -95.92306

Waterway: **Missouri River** Mile: 616.4 PWD: 199

Name: **American Commercial Terminals, Omaha Loading Platform Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge. Datum: CRP

Operator: American Commercial Terminals, LLC.

Owner: City of Omaha.

Address: Phone: 402/341-1300

Town: Omaha State: NE County: Douglas

Railway Connection: Trackage serving terminal in rear connects with Union Pacific Railroad.

Purpose: Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.

Depth Alongside (feet): 11 | | Latitude (decimal): 41.266111

Total Berthing Space (feet): 180 | | Longitude (decimal): -95.92306

Waterway: **Missouri River** Mile: 616.4 PWD: 199

Name: **American Commercial Terminals, Omaha Loading Platform Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge. Datum: CRP

Operator: American Commercial Terminals, LLC.

Owner: City of Omaha.

Address: Phone: 402/341-1300

Town: Omaha State: NE County: Douglas

Railway Connection: Trackage serving terminal in rear connects with Union Pacific Railroad.

Purpose: Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.

Depth Alongside (feet): 11 | | Latitude (decimal): 41.266111

Total Berthing Space (feet): 180 | | Longitude (decimal): -95.92306

Port Facilities by Waterway

Waterway:	Missouri River	Mile: 616.4 PWD: 199
Name:	American Commercial Terminals, Omaha Loading Platform Dock.	
Port:	Missouri/Arkansas R.	
Location:	Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge.	Datum: CRP
Operator:	American Commercial Terminals, LLC.	
Owner:	City of Omaha.	
Address:		Phone: 402/341-1300
Town:	Omaha	County: Douglas
	State: NE	
Railway Connection:	Trackage serving terminal in rear connects with Union Pacific Railroad.	
Purpose:	Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.	
Depth Alongside (feet):	11	Latitude (decimal): 41.266111
Total Berthing Space (feet):	180	Longitude (decimal): -95.92306
Remarks:	-□□	

Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616	Omaha District
-----------------	---------------------------	--------------------------------------	----------------

Remarks: -□□

Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616	Omaha District
-----------------	---------------------------	--------------------------------------	----------------

Remarks: -□□

Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616	Omaha District
-----------------	---------------------------	--------------------------------------	----------------

Remarks: -□□

Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616	Omaha District
-----------------	---------------------------	--------------------------------------	----------------

Port Facilities by Waterway

Waterway: **Missouri River** Mile: 616.4 PWD: 199

Name: **American Commercial Terminals, Omaha Loading Platform Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge. Datum: CRP

Operator: American Commercial Terminals, LLC.

Owner: City of Omaha.

Address: Phone: 402/341-1300

Town: Omaha State: NE County: Douglas

Railway Connection: Trackage serving terminal in rear connects with Union Pacific Railroad.

Purpose: Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.

Depth Alongside (feet): 11 | | Latitude (decimal): 41.266111

Total Berthing Space (feet): 180 | | Longitude (decimal): -95.92306

Waterway: **Missouri River** Mile: 616.4 PWD: 199

Name: **American Commercial Terminals, Omaha Loading Platform Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge. Datum: CRP

Operator: American Commercial Terminals, LLC.

Owner: City of Omaha.

Address: Phone: 402/341-1300

Town: Omaha State: NE County: Douglas

Railway Connection: Trackage serving terminal in rear connects with Union Pacific Railroad.

Purpose: Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.

Depth Alongside (feet): 11 | | Latitude (decimal): 41.266111

Total Berthing Space (feet): 180 | | Longitude (decimal): -95.92306

Waterway: **Missouri River** Mile: 616.4 PWD: 199

Name: **American Commercial Terminals, Omaha Loading Platform Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge. Datum: CRP

Operator: American Commercial Terminals, LLC.

Owner: City of Omaha.

Address: Phone: 402/341-1300

Town: Omaha State: NE County: Douglas

Railway Connection: Trackage serving terminal in rear connects with Union Pacific Railroad.

Purpose: Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.

Depth Alongside (feet): 11 | | Latitude (decimal): 41.266111

Total Berthing Space (feet): 180 | | Longitude (decimal): -95.92306

Port Facilities by Waterway

Waterway:	Missouri River			Mile: 616.4	PWD: 199
Name:	American Commercial Terminals, Omaha Loading Platform Dock.				
Port:	Missouri/Arkansas R.				
Location:	Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge.			Datum:	CRP
Operator:	American Commercial Terminals, LLC.				
Owner:	City of Omaha.				
Address:				Phone:	402/341-1300
Town:	Omaha	State:	NE	County:	Douglas
Railway Connection:	Trackage serving terminal in rear connects with Union Pacific Railroad.				
Purpose:	Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.				
Depth Alongside (feet):	11			Latitude (decimal):	41.266111
Total Berthing Space (feet):	180			Longitude (decimal):	-95.92306
Remarks:	-□□				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks: -□□					
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks: -□□					
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks: -□□					
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	

Port Facilities by Waterway

Waterway: **Missouri River** Mile: 616.4 PWD: 199

Name: **American Commercial Terminals, Omaha Loading Platform Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge. Datum: CRP

Operator: American Commercial Terminals, LLC.

Owner: City of Omaha.

Address: Phone: 402/341-1300

Town: Omaha State: NE County: Douglas

Railway Connection: Trackage serving terminal in rear connects with Union Pacific Railroad.

Purpose: Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.

Depth Alongside (feet): 11 | | Latitude (decimal): 41.266111

Total Berthing Space (feet): 180 | | Longitude (decimal): -95.92306

Waterway: **Missouri River** Mile: 616.4 PWD: 199

Name: **American Commercial Terminals, Omaha Loading Platform Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge. Datum: CRP

Operator: American Commercial Terminals, LLC.

Owner: City of Omaha.

Address: Phone: 402/341-1300

Town: Omaha State: NE County: Douglas

Railway Connection: Trackage serving terminal in rear connects with Union Pacific Railroad.

Purpose: Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.

Depth Alongside (feet): 11 | | Latitude (decimal): 41.266111

Total Berthing Space (feet): 180 | | Longitude (decimal): -95.92306

Waterway: **Missouri River** Mile: 616.4 PWD: 199

Name: **American Commercial Terminals, Omaha Loading Platform Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge. Datum: CRP

Operator: American Commercial Terminals, LLC.

Owner: City of Omaha.

Address: Phone: 402/341-1300

Town: Omaha State: NE County: Douglas

Railway Connection: Trackage serving terminal in rear connects with Union Pacific Railroad.

Purpose: Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.

Depth Alongside (feet): 11 | | Latitude (decimal): 41.266111

Total Berthing Space (feet): 180 | | Longitude (decimal): -95.92306

Port Facilities by Waterway

Waterway:	Missouri River			Mile: 616.4	PWD: 199
Name:	American Commercial Terminals, Omaha Loading Platform Dock.				
Port:	Missouri/Arkansas R.				
Location:	Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge.			Datum:	CRP
Operator:	American Commercial Terminals, LLC.				
Owner:	City of Omaha.				
Address:				Phone:	402/341-1300
Town:	Omaha	State:	NE	County:	Douglas
Railway Connection:	Trackage serving terminal in rear connects with Union Pacific Railroad.				
Purpose:	Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.				
Depth Alongside (feet):	11			Latitude (decimal):	41.266111
Total Berthing Space (feet):	180			Longitude (decimal):	-95.92306
Remarks:	-□□				
Port Series:	68	Year of Last Survey:	2000	Corps of Engnrs Waterway Code:	51616 Omaha District
Remarks:	-□□				
Port Series:	68	Year of Last Survey:	2000	Corps of Engnrs Waterway Code:	51616 Omaha District
Remarks:	-□□				
Port Series:	68	Year of Last Survey:	2000	Corps of Engnrs Waterway Code:	51616 Omaha District
Remarks:	-□□				
Port Series:	68	Year of Last Survey:	2000	Corps of Engnrs Waterway Code:	51616 Omaha District
Waterway:	Missouri River			Mile: 616.4	PWD: 200
Name:	Carbogen, North Omaha Plant, Dock.				
Port:	Missouri/Arkansas R.				
Location:	Right bank, Missouri River, mile 616.4, approximately 2,500 feet above Interstate Highway 480 Bridge.			Datum:	CRP
Operator:	Not operated.				
Owner:	City of Omaha.				
Address:	701 Abbott Drive			Phone:	402/341-1300
Town:	Omaha	State:	NE	County:	Douglas
Railway Connection:	Two surface tracks, total capacity 14 cars, serve terminal at rear; connect with Union Pacific Railroad.				
Purpose:	Not used.				
Depth Alongside (feet):	11			Latitude (decimal):	41.266389
Total Berthing Space (feet):	175			Longitude (decimal):	-95.92278
Remarks:	Wharf formerly was used for receipt of molasses and livestock feed. One 12-inch, pipeline blanked at time of survey (2000) extends from wharf to 18 steel storage tanks at terminal in rear, total capacity 52,060 tons. Storage tanks are being used for storage of asphalt in a land-based operation.				
Port Series:	68	Year of Last Survey:	2000	Corps of Engnrs Waterway Code:	51616 Omaha District

Port Facilities by Waterway

Waterway: Missouri River	Mile: 616.5 PWD: 201
Name: American Commercial Terminals, Omaha Fertilizer Dock.	
Port: Missouri/Arkansas R.	
Location: Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge. Datum: CRP	
Operator: American Commercial Terminals, LLC.	
Owner: City of Omaha.	
Address: 701 Abbott Drive	Phone: 402/341-1300
Town: Omaha	County: Douglas
State: NE	
Railway Connection: Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.	
Purpose: Receipt of dry bulk fertilizer and livestock feed.	
Depth Alongside (feet): 9	Latitude (decimal): 41.267222
Total Berthing Space (feet): 235	Longitude (decimal): -95.92222

Waterway: Missouri River	Mile: 616.5 PWD: 201
Name: American Commercial Terminals, Omaha Fertilizer Dock.	
Port: Missouri/Arkansas R.	
Location: Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge. Datum: CRP	
Operator: American Commercial Terminals, LLC.	
Owner: City of Omaha.	
Address: 701 Abbott Drive	Phone: 402/341-1300
Town: Omaha	County: Douglas
State: NE	
Railway Connection: Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.	
Purpose: Receipt of dry bulk fertilizer and livestock feed.	
Depth Alongside (feet): 9	Latitude (decimal): 41.267222
Total Berthing Space (feet): 235	Longitude (decimal): -95.92222

Waterway: Missouri River	Mile: 616.5 PWD: 201
Name: American Commercial Terminals, Omaha Fertilizer Dock.	
Port: Missouri/Arkansas R.	
Location: Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge. Datum: CRP	
Operator: American Commercial Terminals, LLC.	
Owner: City of Omaha.	
Address: 701 Abbott Drive	Phone: 402/341-1300
Town: Omaha	County: Douglas
State: NE	
Railway Connection: Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.	
Purpose: Receipt of dry bulk fertilizer and livestock feed.	
Depth Alongside (feet): 9	Latitude (decimal): 41.267222
Total Berthing Space (feet): 235	Longitude (decimal): -95.92222

Port Facilities by Waterway

Waterway:	Missouri River			Mile: 616.5	PWD: 201
Name:	American Commercial Terminals, Omaha Fertilizer Dock.				
Port:	Missouri/Arkansas R.				
Location:	Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge.			Datum: CRP	
Operator:	American Commercial Terminals, LLC.				
Owner:	City of Omaha.				
Address:	701 Abbott Drive			Phone: 402/341-1300	
Town:	Omaha	State: NE	County: Douglas		
Railway Connection:	Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.				
Purpose:	Receipt of dry bulk fertilizer and livestock feed.				
Depth Alongside (feet):	9			Latitude (decimal):	41.267222
Total Berthing Space (feet):	235			Longitude (decimal):	-95.92222
Remarks:	Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material.□				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks: Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material.□					
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks: Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material.□					
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks: Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material.□					
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	

Port Facilities by Waterway

Waterway: Missouri River	Mile: 616.5 PWD: 201
Name: American Commercial Terminals, Omaha Fertilizer Dock.	
Port: Missouri/Arkansas R.	
Location: Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge. Datum: CRP	
Operator: American Commercial Terminals, LLC.	
Owner: City of Omaha.	
Address: 701 Abbott Drive	Phone: 402/341-1300
Town: Omaha	County: Douglas
State: NE	
Railway Connection: Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.	
Purpose: Receipt of dry bulk fertilizer and livestock feed.	
Depth Alongside (feet): 9	Latitude (decimal): 41.267222
Total Berthing Space (feet): 235	Longitude (decimal): -95.92222

Waterway: Missouri River	Mile: 616.5 PWD: 201
Name: American Commercial Terminals, Omaha Fertilizer Dock.	
Port: Missouri/Arkansas R.	
Location: Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge. Datum: CRP	
Operator: American Commercial Terminals, LLC.	
Owner: City of Omaha.	
Address: 701 Abbott Drive	Phone: 402/341-1300
Town: Omaha	County: Douglas
State: NE	
Railway Connection: Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.	
Purpose: Receipt of dry bulk fertilizer and livestock feed.	
Depth Alongside (feet): 9	Latitude (decimal): 41.267222
Total Berthing Space (feet): 235	Longitude (decimal): -95.92222

Waterway: Missouri River	Mile: 616.5 PWD: 201
Name: American Commercial Terminals, Omaha Fertilizer Dock.	
Port: Missouri/Arkansas R.	
Location: Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge. Datum: CRP	
Operator: American Commercial Terminals, LLC.	
Owner: City of Omaha.	
Address: 701 Abbott Drive	Phone: 402/341-1300
Town: Omaha	County: Douglas
State: NE	
Railway Connection: Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.	
Purpose: Receipt of dry bulk fertilizer and livestock feed.	
Depth Alongside (feet): 9	Latitude (decimal): 41.267222
Total Berthing Space (feet): 235	Longitude (decimal): -95.92222

Port Facilities by Waterway

Waterway:	Missouri River			Mile: 616.5	PWD: 201
Name:	American Commercial Terminals, Omaha Fertilizer Dock.				
Port:	Missouri/Arkansas R.				
Location:	Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge.			Datum: CRP	
Operator:	American Commercial Terminals, LLC.				
Owner:	City of Omaha.				
Address:	701 Abbott Drive			Phone: 402/341-1300	
Town:	Omaha	State: NE	County: Douglas		
Railway Connection:	Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.				
Purpose:	Receipt of dry bulk fertilizer and livestock feed.				
Depth Alongside (feet):	9			Latitude (decimal):	41.267222
Total Berthing Space (feet):	235			Longitude (decimal):	-95.92222
Remarks:	Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material.□				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks: Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material.□					
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks: Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material.□					
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks: Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material.□					
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	

Port Facilities by Waterway

Waterway: Missouri River	Mile: 616.5 PWD: 201
Name: American Commercial Terminals, Omaha Fertilizer Dock.	
Port: Missouri/Arkansas R.	
Location: Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge. Datum: CRP	
Operator: American Commercial Terminals, LLC.	
Owner: City of Omaha.	
Address: 701 Abbott Drive	Phone: 402/341-1300
Town: Omaha	County: Douglas
State: NE	
Railway Connection: Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.	
Purpose: Receipt of dry bulk fertilizer and livestock feed.	
Depth Alongside (feet): 9	Latitude (decimal): 41.267222
Total Berthing Space (feet): 235	Longitude (decimal): -95.92222

Waterway: Missouri River	Mile: 616.5 PWD: 201
Name: American Commercial Terminals, Omaha Fertilizer Dock.	
Port: Missouri/Arkansas R.	
Location: Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge. Datum: CRP	
Operator: American Commercial Terminals, LLC.	
Owner: City of Omaha.	
Address: 701 Abbott Drive	Phone: 402/341-1300
Town: Omaha	County: Douglas
State: NE	
Railway Connection: Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.	
Purpose: Receipt of dry bulk fertilizer and livestock feed.	
Depth Alongside (feet): 9	Latitude (decimal): 41.267222
Total Berthing Space (feet): 235	Longitude (decimal): -95.92222

Waterway: Missouri River	Mile: 616.5 PWD: 201
Name: American Commercial Terminals, Omaha Fertilizer Dock.	
Port: Missouri/Arkansas R.	
Location: Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge. Datum: CRP	
Operator: American Commercial Terminals, LLC.	
Owner: City of Omaha.	
Address: 701 Abbott Drive	Phone: 402/341-1300
Town: Omaha	County: Douglas
State: NE	
Railway Connection: Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.	
Purpose: Receipt of dry bulk fertilizer and livestock feed.	
Depth Alongside (feet): 9	Latitude (decimal): 41.267222
Total Berthing Space (feet): 235	Longitude (decimal): -95.92222

Port Facilities by Waterway

Waterway:	Missouri River			Mile: 616.5	PWD: 201
Name:	American Commercial Terminals, Omaha Fertilizer Dock.				
Port:	Missouri/Arkansas R.				
Location:	Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge.			Datum: CRP	
Operator:	American Commercial Terminals, LLC.				
Owner:	City of Omaha.				
Address:	701 Abbott Drive			Phone: 402/341-1300	
Town:	Omaha	State: NE	County: Douglas		
Railway Connection:	Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.				
Purpose:	Receipt of dry bulk fertilizer and livestock feed.				
Depth Alongside (feet):	9			Latitude (decimal):	41.267222
Total Berthing Space (feet):	235			Longitude (decimal):	-95.92222
Remarks:	Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material.□				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks: Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material.□					
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks: Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material.□					
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks: Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material.□					
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	

Port Facilities by Waterway

Waterway: Missouri River	Mile: 616.5 PWD: 201
Name: American Commercial Terminals, Omaha Fertilizer Dock.	
Port: Missouri/Arkansas R.	
Location: Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge. Datum: CRP	
Operator: American Commercial Terminals, LLC.	
Owner: City of Omaha.	
Address: 701 Abbott Drive	Phone: 402/341-1300
Town: Omaha	County: Douglas
State: NE	
Railway Connection: Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.	
Purpose: Receipt of dry bulk fertilizer and livestock feed.	
Depth Alongside (feet): 9	Latitude (decimal): 41.267222
Total Berthing Space (feet): 235	Longitude (decimal): -95.92222

Waterway: Missouri River	Mile: 616.5 PWD: 201
Name: American Commercial Terminals, Omaha Fertilizer Dock.	
Port: Missouri/Arkansas R.	
Location: Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge. Datum: CRP	
Operator: American Commercial Terminals, LLC.	
Owner: City of Omaha.	
Address: 701 Abbott Drive	Phone: 402/341-1300
Town: Omaha	County: Douglas
State: NE	
Railway Connection: Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.	
Purpose: Receipt of dry bulk fertilizer and livestock feed.	
Depth Alongside (feet): 9	Latitude (decimal): 41.267222
Total Berthing Space (feet): 235	Longitude (decimal): -95.92222

Waterway: Missouri River	Mile: 616.5 PWD: 201
Name: American Commercial Terminals, Omaha Fertilizer Dock.	
Port: Missouri/Arkansas R.	
Location: Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge. Datum: CRP	
Operator: American Commercial Terminals, LLC.	
Owner: City of Omaha.	
Address: 701 Abbott Drive	Phone: 402/341-1300
Town: Omaha	County: Douglas
State: NE	
Railway Connection: Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.	
Purpose: Receipt of dry bulk fertilizer and livestock feed.	
Depth Alongside (feet): 9	Latitude (decimal): 41.267222
Total Berthing Space (feet): 235	Longitude (decimal): -95.92222

Port Facilities by Waterway

Waterway:	Missouri River			Mile: 616.5	PWD: 201
Name:	American Commercial Terminals, Omaha Fertilizer Dock.				
Port:	Missouri/Arkansas R.				
Location:	Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge.			Datum: CRP	
Operator:	American Commercial Terminals, LLC.				
Owner:	City of Omaha.				
Address:	701 Abbott Drive		Phone: 402/341-1300		
Town:	Omaha	State: NE	County: Douglas		
Railway Connection:	Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.				
Purpose:	Receipt of dry bulk fertilizer and livestock feed.				
Depth Alongside (feet):	9			Latitude (decimal):	41.267222
Total Berthing Space (feet):	235			Longitude (decimal):	-95.92222
Remarks:	Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material.□				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks: Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material.□					
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks: Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material.□					
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Remarks: Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material.□					
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51616		Omaha District	
Waterway: Missouri River					
Name:	American Commercial Terminals, Heartland Terminal Dock.			Mile: 624.0	PWD: 202
Port:	Missouri/Arkansas R.				
Location:	Right bank, Missouri River, mile 624.0, approximately 2.5 mile below Mormon (Interstate Highway 680) Bri			Datum: CRP	
Operator:	American Commercial Terminals, LLC.				
Owner:	American Commercial Terminals, LLC.				
Address:	6801 North 9th Street		Phone: 402/341-1300		
Town:	Omaha	State: NE	County: Douglas		
Railway Connection:	Two surface tracks, total capacity 8 cars serve undertrack pit in rear; connect with Union Pacific Railroad.				
Purpose:	Receipt of dry bulk fertilizer and livestock feed.				
Depth Alongside (feet):	9			Latitude (decimal):	41.32
Total Berthing Space (feet):	400			Longitude (decimal):	-95.92417
Remarks:	Two steel A-frame, metal-covered storage buildings at rear have total capacity for 33,000 tons of dry bulk material. In addition, two 60,000-square foot, asphalt-paved, open storage areas are located adjacent to buildings.				
Port Series: 68	Year of Last Survey: 2000	Corps of Engnrs Waterway Code: 51624		Omaha District	

Port Facilities by Waterway

Waterway: **Missouri River** Mile: 624.2 PWD: 203

Name: **LaFarge Corp., Omaha Terminal Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 624.2, approximately 2.3 miles below Mormon Datum: CRP
(Interstate Highway 680) Br

Operator: LaFarge Corp.

Owner: LaFarge Corp.

Address: 1106 Ida Street Phone: 402/453-6433

Town: Omaha State: NE County: Douglas

Railway Connection: One surface track, total capacity 13 cars, connects with Union Pacific Railroad.

Purpose: Receipt of cement.

Depth Alongside (feet): 16 | | Latitude (decimal): 41.321389

Total Berthing Space (feet): 300 | | Longitude (decimal): -95.92806

Remarks: Cement distribution terminal in rear consisting of 4 concrete silos with one interstice has capacity for 19,800 tons. □

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 51624 Omaha District

Waterway: **Missouri River** Mile: 626.8 PWD: 205

Name: **U.S. Coast Guard Moorings - Omaha.**

Port: Missouri/Arkansas R.

Location: Right bank, mile 626.8 lower side of rectangular basin located 2,000 feet above Datum: CRP
Mormon (Interstate Highw

Operator: U.S. Coast Guard.

Owner: United States Government.

Address: 9801 Pershing Drive Phone: 402/451-7083

Town: Omaha State: NE County: Douglas

Railway Connection: None.

Purpose: Handling navigational aids, supplies and equipment; mooring U.S. Coast Guard Cutter 'Gasconade'.

Depth Alongside (feet): 8 | | Latitude (decimal): 41.350556

Total Berthing Space (feet): 175 | | Longitude (decimal): -95.95083

Remarks: One 4-inch sewer line serves wharf. U.S. Coast Guard Equipment repair maintenance and storage facilities located at rear. □

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 51626 Omaha District

Port Facilities by Waterway

Waterway: **Missouri River** Mile: 626.9 PWD: 206

Name: **U.S. Army Corps of Engineers, Missouri River Project Office, Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 626.9, inner side of rectangular basin located 2,000 feet above Mormon Datum: CRP

Operator: U.S. Army Corps of Engineers, Omaha District.

Owner: United State Government.

Address: 9901 Pershing Drive Phone: 402/453-9202

Town: Omaha State: NE County: Douglas

Railway Connection: None.

Purpose: Handling construction supplies and equipment; mooring government floating equipment.

Depth Alongside (feet): 8 | | Latitude (decimal): 41.351944

Total Berthing Space (feet): 150 | | Longitude (decimal): -95.95167

Remarks: U.S. Army Corps of Engineers heavy equipment repair maintenance and storage facilities located at rear. □

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 51626 Omaha District

Waterway: **Missouri River** Mile: 640.5 PWD: 207

Name: **Fort Calhoun Stone Co., Quarry Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 640.5, approximately 8 miles below Blair (U.S. Highway 30) Bridge. Datum: CRP

Operator: Fort Calhoun Stone Co.

Owner: Fort Calhoun Stone Co.

Address: Phone: 402/468-5153

Town: Fort Calhoun State: NE County: Washington

Railway Connection: None.

Purpose: Shipment of stone, predominantly for bank protection.

Depth Alongside (feet): 10 | | Latitude (decimal): 41.4725

Total Berthing Space (feet): 195 | | Longitude (decimal): -96.0075

Remarks: Open storage area at quarry in rear has capacity for 50,000 tons of stone. □ □

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 51640 Omaha District

Port Facilities by Waterway

Waterway: **Missouri River** Mile: 646.5 PWD: 204

Name: **Pentzien Omaha Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 624.5, approximately 2 miles below Mormon (Interstate Highway 680) Brid Datum: CRP

Operator: Pentzien, Inc.

Owner: Pentzien, Inc.

Address: 1500 Read Street Phone: 402/451-2838

Town: Omaha State: NE County: Douglas

Railway Connection: None.

Purpose: Handling construction materials and equipment.

Depth Alongside (feet): 16 | | Latitude (decimal): 41.324167

Total Berthing Space (feet): 300 | | Longitude (decimal): -95.93278

Remarks: Approximately 2.2 acres of storage area for supplies located at rear. Additional storage area for equipment and supplies and equipment maintenance facilities located on opposite side of levee.

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 51624 Omaha District

Waterway: **Missouri River** Mile: 647.7 PWD: 208

Name: **Terra Nitrogen Corp., Blair Terminal Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 647.7, approximately 0.5 mile below Blair (U.S. Highway 30) Bridge. Datum: CRP

Operator: Not operated.

Owner: Terra Nitrogen Corp.

Address: 250 Industrial Park Road Phone: 402/426-4164

Town: Blair State: NE County: Washington

Railway Connection: Two surface tracks, total capacity 25 cars, serve 4 loading stations at terminal in rear; connect with Union Pacific Railroad.

Purpose: Not used.

Depth Alongside (feet): 12 - 16 | | Latitude (decimal): 41.5425

Total Berthing Space (feet): 475 | | Longitude (decimal): -96.09611

Remarks: Wharf formerly was used for receipt of anhydrous ammonia and liquid fertilizer. Pipelines have been removed. □

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 51647 Omaha District

Port Facilities by Waterway

Waterway: **Missouri River** Mile: 648.2 PWD: 209

Name: **Consolidated Blenders, Blair Terminal Dock.**

Port: Missouri/Arkansas R.

Location: Right bank, Missouri River, mile 648.2, below Blair (U.S. Highway 30) Bridge. Datum: CRP

Operator: Consolidated Blenders, Inc.

Owner: Consolidated Blenders, Inc.

Address: 650 Marina Road Phone: 402/426-4504

Town: Blair State: NE County: Washington

Railway Connection: None.

Purpose: Shipment of dehydrated alfalfa.

Depth Alongside (feet): 8 | | Latitude (decimal): 41.548889

Total Berthing Space (feet): 350 | | Longitude (decimal): -96.09667

Remarks: Alfalfa storage elevator at rear consisting of 5 steel tanks has capacity for 10,000 tons. □

Port Series: 68 Year of Last Survey: 2000 Corps of Engns Waterway Code: 51648 Omaha District

Waterway: **Missouri River** Mile: 716.9 PWD: 210

Name: **Ag Processing, Sergeant Bluff Grain Elevator Dock.**

Port: Missouri/Arkansas R.

Location: Left bank, Missouri River, mile 716.9, approximately 11.5 miles below Sioux City. Datum: CRP

Operator: Ag Processing, Inc.

Owner: Ag Processing, Inc.

Address: 2753 Port Neal Circle. Phone: 712/943-4282

Town: Sergeant Bluff State: IA County: Woodbury

Railway Connection: Six surface tracks, total capacity 150 cars serves undertrack pit and loading spout at elevator in rear connect with Union Pacific Railroad.

Purpose: Shipment of soybean meal and hulls.

Depth Alongside (feet): 8 | | Latitude (decimal): 42.297778

Total Berthing Space (feet): 1,019 | | Longitude (decimal): -96.35056

Remarks: Soybean meal elevator at rear consisting of 22 concrete silos with 28 interstices and 8 head house bins has total capacity for 3,500,000 bushels. □

Port Series: 68 Year of Last Survey: 2000 Corps of Engns Waterway Code: 51717 Omaha District

Port Facilities by Waterway

Waterway: **Missouri River** Mile: 717.0 PWD: 211

Name: **Farmland Industries; Sergeant Bluff, Dock.**

Port: Missouri/Arkansas R.

Location: Left bank, Missouri River, mile 717.0, approximately 11.5 miles below Sioux City. Datum: CRP

Operator: Farmland Industries.

Owner: Farmland Industries.

Address: 2735 Port Neal Circle. Phone: 712/943-5624

Town: Sergeant Bluff State: IA County: Woodbury

Railway Connection: Four surface tracks, total capacity 60 cars serves loading spout in rear connects with Union Pacific Railroad.

Purpose: Receipt of dry bulk and liquid fertilizer.

Depth Alongside (feet): 9 | | Latitude (decimal): 42.299167

Total Berthing Space (feet): 350 | | Longitude (decimal): -96.35111

Remarks: Two concrete storage domes at rear have total capacity for 20,000 tons of dry bulk fertilizer. One 10-inch pipeline extends from wharf to one 3,640,000 gallon liquid fertilizer storage tank.

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 51717 Omaha District

Waterway: **Missouri River** Mile: 727.0 PWD: 212

Name: **Sioux By-Products Dock.**

Port: Missouri/Arkansas R.

Location: Left bank, Missouri River, mile 727.0, approximately 1.5 miles below Interstate Highway 129 Bridge. Datum: CRP

Operator: Not operated.

Owner: Sioux By-Products Division of Darling-Delaware, Inc.

Address: 1900 Murray Road Phone: 712/258-7524

Town: Sioux City State: IA County: Woodbury

Railway Connection: One surface track serving 3 loading stations at plant in rear connects with Union Pacific Railroad.

Purpose: Not used.

Depth Alongside (feet): 10 | | Latitude (decimal): 42.425556

Total Berthing Space (feet): 150 | | Longitude (decimal): -96.39111

Remarks: Wharf formerly was used for the shipment of tallow. One 8-inch pipeline extends to wharf from 2 steel storage tanks at plant in rear, total capacity 2,200 tons.

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 51727 Omaha District

Port Facilities by Waterway

Waterway: **Missouri River** Mile: 727.4 PWD: 213

Name: **Jebro Dock.**

Port: Missouri/Arkansas R.

Location: Left bank, Missouri River, mile 727.4, approximately 1.2 miles below Interstate Highway 129 Bridge. Datum: CRP

Operator: Jebro, Inc.

Owner: Jebro, Inc.

Address: 2303 Bridgeport Drive Phone: 712/277-8855

Town: Sioux City State: IA County: Woodbury

Railway Connection: One 22-car-capacity surface track serves plant in rear; connects with Union Pacific Railroad.

Purpose: Receipt of asphalt.

Depth Alongside (feet): 9 | | Latitude (decimal): 42.431667

Total Berthing Space (feet): 300 | | Longitude (decimal): -96.39472

Remarks: One 8-inch pipeline extends from wharf to 25 steel storage tanks at ready-mix asphalt plant in rear, total capacity 200,000 barrels. One 2-inch auxiliary steam line serves wharf.

Port Series: 68 Year of Last Survey: 2000 Corps of Engns Waterway Code: 51727 Omaha District

Waterway: **Missouri River** Mile: 727.8 PWD: 214

Name: **Big Soo Terminal Dock.**

Port: Missouri/Arkansas R.

Location: Left bank, Missouri River, mile 727.8, approximately 0.7 mile below Interstate Highway 129 Bridge. Datum: CRP□

Operator: Terminal Grain Corp. d.b.a. Big Soo Terminal.

Owner: Terminal Grain Corp.

Address: 4101 Harbor Drive Phone: 712/258-0537

Town: Sioux City State: IA County: Woodbury

Railway Connection: Four surface tracks, total capacity 48 cars, serving 5 loading spouts and one undertrack pit connect with Union Pacific Railroad.

Purpose: Handling general cargo; receipt of liquid and dry fertilizer; soybean oil, tallow, paper and steel products, scrap metal, and miscellaneous dry bulk materials, including, salt and feed; Shipment of grain.

Depth Alongside (feet): 8 | | Latitude (decimal): 42.436944

Total Berthing Space (feet): 12 | | Longitude (decimal): -96.38222

Remarks: One 8-inch pipeline extends from lower end of berth to 2 steel, soybean oil storage tanks, total capacity 2,000,000 gallons, and one 8-inch pipeline extends from upper dolphin to 3 steel liquid fertilizer storage tanks, total capacity 2,400,000 gallons and 4 liquid tallow storage tanks total capacity 10,18,7000 gallons. One 3-inch steam line serves upper dolphin. Four, timber, and one steel A-frame fertilizer storage warehouses have total capacity for 129,000 tons. Grain elevator at rear consisting of 6 concrete silos and 2 interstices has total capacity for 200,000 bushels. Approximately 25,000 square feet of asphalt paved, open storage area is located at terminal. One 17,000-square foot, concrete block, transit shed is located at rear of lower end. Fleeting area located at shore moorings above wharf has capacity for 12 barges berthed 2-abreast.

Port Series: 68 Year of Last Survey: 2000 Corps of Engns Waterway Code: 51727 Omaha District

Port Facilities by Waterway

Waterway: **Missouri River** Mile: 731.2 PWD: 215
 Name: **Nutra-Flo Co. Dock.**
 Port: Missouri/Arkansas R.
 Location: Left bank, Missouri River, mile 731.2, above mouth of Floyd River. Datum: CRP
 Operator: Not operated.
 Owner: Kay-Flo Industries.
 Address: 514 South Floyd Boulevard Phone: 712/279-1938
 Town: Sioux City State: IA County: Woodbury
 Railway Connection: Two surface tracks with total capacity for 20 cars serve plant on opposite side of Interstate Highway 29; connect with Union Pacific Railroad.
 Purpose: Not used.
 Depth Alongside (feet): 8 | | Latitude (decimal): 42.483889
 Total Berthing Space (feet): 250 | | Longitude (decimal): -96.39194
 Remarks: One 8- and one 6-inch pipelines disconnected at time of survey (2000) extend from center platform to one 300,000-gallon storage tank at plant on opposite side of Interstate Highway 29.
 Port Series: 68 Year of Last Survey: 2000 Corps of Engnr's Waterway Code: 51731 Omaha District

Waterway: **Missouri River** Mile: 731.4 PWD: 216
 Name: **Argosy's Belle of Sioux City Casino Boat Dock.**
 Port: Missouri/Arkansas R.
 Location: Left bank, Missouri River, mile 731.4, approximately 1,000 feet above mouth of Floyd River. Datum: CRP
 Operator: Argosy's Belle of Sioux City.
 Owner: City of Sioux City.
 Address: 100 Larsen Park Road Phone: 712/255-0552
 Town: Sioux City State: IA County: Woodbury
 Railway Connection: None.
 Purpose: Landing for Casino Boat 'Belle of Sioux City'.
 Depth Alongside (feet): 8 | 8 | Latitude (decimal): 42.484722
 Total Berthing Space (feet): 285 | | Longitude (decimal): -96.39389
 Remarks: Vessel berths end-to upper side of float and provides periodic river excursions. Larsen Park parking lot located at rear. □
 Port Series: 68 Year of Last Survey: 2000 Corps of Engnr's Waterway Code: 51731 Omaha District
